

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/629,066	07/28/2003	Gregory S. Herman	200209441-1	5837
22879	7590 08/24/2006		EXAMINER	
	PACKARD COMPANY	PARSONS, THOMAS H		
P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400			ART UNIT	PAPER NUMBER
			1745	
			DATE MARIED, 00/04/200	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/629,066	HERMAN ET AL.	
Office Action Summary	Examiner	Art Unit	
	Thomas H. Parsons	1745	
The MAILING DATE of this communication appeared for Reply	pears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	NATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tirr will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).	
Status			
 Responsive to communication(s) filed on 29 J This action is FINAL. 2b) This Since this application is in condition for alloward closed in accordance with the practice under the 	s action is non-final. ince except for formal matters, pro		
Disposition of Claims			
4) Claim(s) 1-44 is/are pending in the application 4a) Of the above claim(s) 1-26 is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 27-44 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	n from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and all any objection to the Replacement drawing sheet(s) including the correct and the option of the opt	cepted or b) objected to by the E drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No d in this National Stage	
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:		

Art Unit: 1745

Response to Amendment

This is in response to the Amendment filed 29 June 2006.

(Previous) DETAILED ACTION

Specification

1. The objection to the disclosure because of minor informalities has been withdrawn in view of Applicants' Amendment.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 27-31, 33-40, 42-44 **stand** rejected under 35 U.S.C. 102(e) as being anticipated by Edlund et al. (2002/0114984).
- Claim 27: Edlund et al. in Figures 5, 6, 10 and 11 disclose a fuel cell system (10), comprising:
 - a fuel cell stack (22); and
 - a hydrogen storage unit (60); and
- a hydrogen generation unit (12) configured to produce a hydrogen gas stream from an anode effluent stream. See paragraphs [0016]-[0047] and [0058]-[0061].

Application/Control Number: 10/629,066

Art Unit: 1745

Edlund et al. disclose in paragraph [0040] that the anode effluent (purge stream 84) which may contain hydrogen gas. Alternatively, the hydrogen gas may be continuously vented from the anode region of the fuel cell stack and recirculated. And, in paragraph [0041], Edlund et al. disclose a combustion fuel stream 95 is schematically illustrated in FIG. 5. It should be understood that stream 95 may be formed from any suitable combustion fuel and may include some or all of one or more of the following: byproduct stream 40 from fuel processor 12, feed stream 16, or a slipstream of a component thereof, such as a stream containing carbon-containing feedstock 18, stored hydrogen gas from hydrogen storage system 58, vented gas from product hydrogen streams 14, 54, 56, 64 or 66, a fuel stream independent of the feed stream 16 or the byproduct streams from system 10, such as a supply of a suitable fuel... Accordingly, this anticipates a hydrogen generation unit (12) configured to produce a hydrogen gas stream from an anode effluent stream or any other hydrogen stream. Further, in paragraph Feed stream 16 may be delivered to fuel processor 12 via any suitable mechanism. Although only a single feed stream 16 is shown in FIG. 1, it should be understood that more than one stream 16 may be used and that these streams may contain the same or different components. When carbon-containing feedstock 18 is miscible with water, the feedstock is typically delivered with the water component of feed stream 16, such as shown in FIG. 1. When the carbon-containing feedstock is immiscible or only slightly miscible with water, these components are typically delivered to fuel processor 12 in separate streams, such as shown in FIG. 2.

Accordingly, Edlund et al. anticipate a hydrogen generation unit (12) configured to produce a hydrogen gas stream from an anode effluent stream or any other hydrogen stream.

Art Unit: 1745

Claim 28: Edlund et al. disclose that the hydrogen storage unit (60) comprises one or more mechanisms selected from the group consisting of metal hydride bed, hydrogen sorption material, and compressed gas bottle (paragraph [0033]).

Claim 29: Edlund et al. disclose that the hydrogen storage unit (60) comprises a metal hydride (paragraph [0033]).

Claim 30: Edlund et al. in Figure 3 disclose that the hydrogen generation unit (30) comprises a hydrogen separation membrane (44) (paragraph [0026]).

Claim 31: Edlund et al. in Figure 7 discloses a temperature control unit. More particularly, Edlund et al. disclose one or more sensors (124) to measure or detect selected values, or operating parameters, such as temperature via a temperature sensor. The sensors communicate with a processor (122) via a communication linkage (126). The processor further communicates with a controlled device (128) (paragraphs [0048]-[0050]).

Claim 33: Edlund et al. disclose a heating means (58) for speeding up fuel cell startup (paragraph [0033], [0036], and [0059]-[0061]).

Claim 34: Edlund et al. disclose a hydrogen means for providing additional power during high load on the fuel cell stack (paragraphs [0036], and [0059]-[0061])

Claim 35: Edlund et al. disclose a hydrogen means for recycling hydrogen through the fuel cell stack to be used for rapid startup ([0059]-[0061] and Figure 6 showing vent 88).

Claim 36: Edlund et al. in Figures 5, 6, 10 and 11 disclose a fuel cell system (10), comprising:

a fuel cell stack (22); and

a means for storing hydrogen (60) (paragraph [0033]); and

Application/Control Number: 10/629,066

Art Unit: 1745

a means (12)(paragraphs [0024]-[0025]) for obtaining hydrogen from an anode effluent stream. See paragraphs [0016]-[0047] and [0058]-[0061].

Page 5

Edlund et al. disclose in paragraph [0040] that the anode effluent (purge stream 84) which may contain hydrogen gas. Alternatively, the hydrogen gas may be continuously vented from the anode region of the fuel cell stack and recirculated. And, in paragraph [0041], Edlund et al. disclose a combustion fuel stream 95 is schematically illustrated in FIG. 5. It should be understood that stream 95 may be formed from any suitable combustion fuel and may include some or all of one or more of the following: byproduct stream 40 from fuel processor 12, feed stream 16, or a slipstream of a component thereof, such as a stream containing carbon-containing feedstock 18, stored hydrogen gas from hydrogen storage system 58, vented gas from product hydrogen streams 14, 54, 56, 64 or 66, a fuel stream independent of the feed stream 16 or the byproduct streams from system 10, such as a supply of a suitable fuel... Accordingly, this anticipates a hydrogen generation unit (12) configured to produce a hydrogen gas stream from an anode effluent stream or any other hydrogen stream. Further, in paragraph Feed stream 16 may be delivered to fuel processor 12 via any suitable mechanism. Although only a single feed stream 16 is shown in FIG. 1, it should be understood that more than one stream 16 may be used and that these streams may contain the same or different components. When carbon-containing feedstock 18 is miscible with water, the feedstock is typically delivered with the water component of feed stream 16, such as shown in FIG. 1. When the carbon-containing feedstock is immiscible or only slightly miscible with water, these components are typically delivered to fuel processor 12 in separate streams, such as shown in FIG. 2.

Art Unit: 1745

Accordingly, Edlund et al. anticipate a hydrogen generation unit (12) configured to produce a hydrogen gas stream from an anode effluent stream or any other hydrogen stream.

- Claim 37: The rejection of claim 37 is as set forth above in claim 29.
- Claim 38: The rejection of claim 38 is as set forth above in claim 30.
- Claim 39: Edlund et al. further disclose a means (60, 12, and 120) for heating any fuel cell gas feed streams (16) See paragraphs [0016]-[0047] and [0058]-[0061].
 - Claim 40: The rejection of claim 40 is as set forth above in claim 31.
 - Claim 42: The rejection of claim 42 is as set forth above in claim 33.
 - Claim 43: The rejection of claim 43 is as set forth above in claim 34.
 - Claim 44: The rejection of claim 44 is as set forth above in claim 35.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 32 and 41 **stand** rejected under 35 U.S.C. 103(a) as being unpatentable over Edlund et al. as applied to claims 27 and 36 above, and further in view of LaPierre et al. (6,348,278).

Edlund et al. are as applied, argued, and disclosed above, and incorporated herein.

Claim 32 and 41: Edlund et al. do not disclose that the temperature control unit is a heat exchanger.

Art Unit: 1745

LaPierre et al. in Figures 1 and 2 disclose a heat exchanger (66) (col. 13: 65-col. 14: 18). More particularly, La Pierre et al. disclose that a purified hydrogen stream exiting a hydrogen separating membrane is directed into a heat exchanger to cool the hydrogen to a temperature compatible with the fuel cell.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the apparatus of Edlund et al. by incorporating the heat exchanger of LaPierre et al. because both are concerned with feeding a reformate stream (purified hydrogen stream) to a fuel cell, wherein the reformate has passed through a separating membrane, and further LaPierre et al. disclose a heat exchanger that would have cooled the hydrogen to a temperature that is compatible with the operation of the fuel cell thereby improving the overall performance of the fuel cell system.

Response to Arguments

6. Applicant's arguments filed 29 June 2006 have been fully considered but they are not persuasive.

On page 9, paragraph 2 of the Applicants' Remarks/Arguments, the Applicants' argue, "In Figures 1 and 2 of Edlund, for example, the input feed stream 16 is processed by fuel processor 12 to produce hydrogen gas. In the embodiments of Edlund's Figures 1 and 2, the input feed stream 16 does not originate from the anode effluent of the fuel cell 22. The Examiner likens the purge stream 84 of the fuel cell's anode of Figure 5 of Edlund (see also paragraph {0040}) to the claimed anode effluent. However, Edlund does not state that the hydrogen gas stored in the storage device 60 originates from the purge stream 84 in any way.

Art Unit: 1745

In response, Edlund et al. in paragraph [0016] disclose a fuel processor (12) that produces a product hydrogen stream (14) containing hydrogen gas from a feed stream (16) containing a feedstock. In paragraph [0024], Edlund et al. disclose that the fuel processor is adapted to produce a substantially pure or pure hydrogen gas. In paragraph [0040], Edlund et al. disclose that the hydrogen gas may be continuously vented from the anode region of the fuel cell stack and recirculated. Given that the fuel cell stack of Edlund et al. is adapted to produced an electric current from a substantially pure or pure hydrogen rich gas, the anode exhaust (effluent) of Edlund et al. would inherently be recirculated and combined with feed stream 16.

In addition, the recitation "configured to", (as recited in claim 1 perform a function (i.e. produce a hydrogen stream from anode effluent) is not a positive limitation but only requires the ability to so perform. Accordingly, as set forth above in claim 1 and because the fuel cell system of Edlund et al. is structurally the same as what is claimed, it appears capable of so performing.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 1745

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas H. Parsons whose telephone number is (571) 272-1290. The examiner can normally be reached on M-F (7:00-4:30) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

PATRICK JOSEPH RYAN SUPERVISORY PATENT EXAMINER Thomas H Parsons Examiner Art Unit 1745
